



imagePRESS C10010VP/C9010VP COLOUR PRODUCTION DIGITAL PRESS



imagePRESS C10010VP shown with optional accessories.

PRODUCT SPECIFICATIONS

MARKING ENGINE

Technology:	Electrophotography	
Print Resolution:	2400 x 2400 dpi	
Print Speed	C10010VP	C9010VP
8.5" x 11":	Up to 100 ipm	Up to 90 ipm
11" x 17":	Up to 56.2 ipm	Up to 50.6 ipm
12" x 18":	Up to 53.5 ipm	Up to 48.1 ipm
13" x 19":	Up to 51 ipm	Up to 45.9 ipm
13" x 30":	Up to 28.3 ipm	Up to 25.5 ipm
Paper Size:	7.2" x 7.2" to 13" x 19.2"	
Paper Weight:	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)	
Paper Capacity¹		
Standard:	Up to 2,000 Sheets	
Maximum:	Up to 11,000 Sheets	
Long Sheets²		
Duplex:	Up to 13" x 30"	
Simplex:	Up to 13" x 51.2"	
Automatic Duplexing		
Paper Size: ²	Up to 13" x 30"	
Paper Weight:	Up to 150 lb. Cover (400 gsm)	
Average Monthly Print Volume³		
C9010VP:	80,000 to 360,000	
C10010VP:	100,000 to 450,000	
Duty Cycle³		
C9010VP:	1,600,000	
C10010VP:	1,800,000	
Power Source:	Three-Phase 208 V, 60 Hz, 30 A Single-Phase 208 V, 20A, 60 Hz	
Weight:	2,652 lb.	
Dimensions (W x D x H):	101.8" x 45.4" x 57.3"	

INPUT ACCESSORIES

POD Deck-D1	
Paper Capacity:¹	Up to 4,000 Sheets
Attach Inline:	Up to 2
Paper Size:	7.2" x 7.2" to 13" x 19.2"
Paper Weight:	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
Power Source:	200-208 V, 60 Hz, 15 A
Weight:	551 lb.
Dimensions (W x D x H):	38.7" x 31.2" x 43.1"
BDT VX 370-790 Long Sheet Feeder	
Paper Capacity:¹	Up to 5,000 Sheets
Paper Size:	11" x 17" to 13" x 30"
Paper Weight:	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
Power Source:	90-260 V, 47-63 Hz, 14 A
Weight:	1,146.3 lb.
Dimensions (W x D x H):	51.2" x 42.7" x 38.4"
POD Deck Lite-C1	
Paper Capacity:¹	Up to 3,500 Sheets
Paper Size:	5.5" x 7.2" to 13" x 19.2"
Paper Weight:	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
Power Source:	120-127 V, 60 Hz, 2.2 A
Weight:	150 lb.
Dimensions (W x D x H):	24.9" x 27.0" x 22.4"

imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

POD Deck Lite XL-A1

Paper Capacity¹	
Up to 13" x 19.2":	Up to 3,500 Sheets
Up to 13" x 30":	Up to 1,000 Sheets
Paper Size:	5.5" x 7.2" to 13" x 30"
Paper Weight	
Up to 13" x 19.2":	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
Up to 13" x 30":	17 lb. Bond to 110 lb. Cover (64 gsm to 300 gsm)
Power Source:	120-127V AC, 60 Hz, 2.2 A
Weight:	231 lb.
Dimensions (W x D x H):	40.2" x 27" x 22.6"

Long Sheet Tray-D1

Paper Capacity¹	Up to 1 Sheet
Paper Size:	8.3" x 19.2" to 13" x 51.2"
Paper Weight:	16 lb. Bond to 140 lb. Index (60 gsm to 256 gsm)
Weight:	3 lb.
Dimensions (W x D x H):	85.6" x 36.8" x 56.1"

Duplex Colour Image Reader-M1

Image Sensor:	CCD
Scan Speed (Letter, 300 dpi)	
BW (duplex):	Up to 240 opm
Colour (duplex):	Up to 220 opm
Tray Capacity¹	Up 300 Sheets
Document Size:	Statement to 12" x 17"
Resolution:	Up to 600 x 600 dpi
Weight:	60 lb.
Dimensions (W x D x H):	24.9" x 23.7" x 7.1"

FINISHING ACCESSORIES

Document Insertion Unit-N1⁴

Tray Capacity¹	
Upper Tray:	Up to 200 Sheets
Lower Tray:	Up to 200 Sheets
Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
Paper Size:	5.5" x 7.2" to 13" x 19.2"
Power Supply:	100-240 V, 50/60 Hz, 1.0 A
Weight:	134 lb.
Dimensions (W x D x H):	29.4" x 31.2" x 55.4"

Multi-Function Professional Puncher-B1⁴

Paper Weight	
Punching:	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
Creasing:	105 lb. Text to 110 lb. Cover (157 gsm to 300 gsm)
Paper Size:	12" x 18", 11" x 17", LTR, LGL, LTR-R, STMT
Punching:	Letter, Legal, 11" x 17", 12" x 18"
Creasing:	Letter-R, Legal, 11" x 17, 12" x 18, 13" x 19"
Die Set Patterns:	Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, Colour Coil 44-Hole, Crease
Power Supply:	115 V, 60 Hz, 3.8 A
Weight:	225 lb.
Dimensions (W x D x H):	17.5" x 31.3" x 40.9"

GBC eWire Pro^{4,5}

Bound Book Size¹	15 to 80 Sheets
Paper Size:	Letter
Paper Weight:	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
Wire Choices:	1/4", 5/16", 3/8", 7/16", 1/2"
Stack Capacity¹	Up to 35 Books
Infeed:	Multi-Function Professional Puncher-B1
Power Supply:	115 V, 60 Hz, 2.8A
Weight:	500 lb.
Dimensions (W x D x H):	35.9" x 31.7" x 42.5"

Perfect Binder-E1⁴

Finished Book Size:	5.4" x 8.0" to 8.5" x 11.7"
Book Thickness¹	10 to 200 Sheets
Paper Weight	
Body Pages:	16 lb. Bond to 110 lb. Text (60 gsm to 163 gsm)
Cover Page:	24 lb. Bond to 110 lb. Cover (90 gsm to 300 gsm)
Trimming Method:	3-Side Cut/1-Side Cut/No Cut
Trim Range	
Top/Bottom:	0.26" to 1.6"
Side:	0.26" to 1.95"
Power Source:	208 V, 60 Hz, 3.0 A
Weight:	679 lb.
Dimensions (W x D x H):	36.3" x 31.1" x 51.2"

High-Capacity Stacker-H1

Capacity¹	
Stack Tray:	Up to 6,000 Sheets
Top Tray:	Up to 200 Sheets
Attach Inline:	Up to 2
Paper Size:	7.2" x 7.2" to 13" x 19.2"
Paper Weight:	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
Power Source:	100-240 V, 50/60 Hz, 2.5 A
Weight:	265 lb.
Dimensions (W x D x H):	35.4" x 29.3" x 44.9"

Paper Folding Unit-J1⁶

Double Parallel Fold:	Legal, Letter-R
C/Accordion Fold:	Letter-R
Z-Fold:	Letter-R, Legal, 11" x 17"
Paper Weights:	16 lb. Bond to 28 lb. Bond (60 gsm to 105 gsm)
Power Source:	From Finisher
Weight:	157 lb.
Dimensions (W x D x H):	13.2" x 31.2" x 46.9"

imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

Staple Finisher-AN1/Booklet Finisher-AN2

Tray Capacity¹

Top Tray:	Up to 1,000 Sheets
Lower Tray:	Up to 4,000 Sheets
Saddle-Stitch Tray:	Up to 30 Booklets or Limitless

Paper Weight

Stacking:	16 lb. Bond to 150 lb. Cover (60 to 400 gsm)
Corner Stapling:	16 lb. Bond to 120 lb. Cover (60 to 325 gsm)
Booklet-Making:	16 lb. Bond to 110 lb. Cover (60 to 300 gsm)

Staple Positions:

Corner, Double

Paper Size

Stapling:	8.3" x 7.2" to 12" x 17"
Saddle Finisher:	8.3" x 11" to 13" x 19.2"

Stapling Capacity¹

Corner/Double:	Up to 100 Sheets
Saddle-Stitch:	Up to 25 Sheets
V-Folding:	Up to 5 Sheets without Stitch

Power Source:

120-240 V, 60 Hz, 8 A

Weight

Staple Finisher:	287 lb.
Booklet Finisher:	397 lb.

Dimensions (W x D x H):

31.5" x 31.2" x 48.8"

Puncher Unit-BS1⁶

Paper Weight:

Same as Main Engine

Paper Sizes

2-Hole:	7.2" x 7.2" to 11.7" x 17"
3-Hole:	9.5" x 7.2" to 11.7" x 17"

Paper Weight:

16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

Punch Waste Capacity:¹

Up to 6,000 Sheets

Power Supply:

From the Finisher

Long Sheet Tray-C1⁶

Paper Size:

Up to 7.2" x 7.2" to 13" x 30"

Paper Capacity:¹

Up to 100 Sheets

Finisher Long Sheet Catch Tray-A1⁶

Paper Size:

7.2" x 7.2" to 13" x 51.2"

Paper Capacity:¹

Up to 13" x 30":	Up to 300 Sheets
Up to 13" x 51.2":	Up to 50 Sheets

DFD Adapter and Finisher Bridge-A1⁶

Paper Weight:

14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

Supported Finishing:

Plockmatic BLM50/35 Professional Booklet Maker

Requirements:

Staple/Booklet Finisher-W1

Weight:

168 lb.

Dimensions (W x D x H):

35.8" x 29.3" x 46.9"

Booklet Trimmer-F1⁷

Margin Trimming:

Front-edge Trim

Trim Amount:

0.08" to 1.1"

Paper Weight:

16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

Power Supply:

From the Finisher

Weight:

392 lb.

Dimensions (W x D x H):

82.5" x 31.1" x 40.9"

Two-Knife Booklet Trimmer-A1⁸

Margin Trimming:

Top and Bottom

Trim Amount:

0.08" to 0.59"

Paper Weight:

16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

Power Supply:

120-127 V, 60 Hz, 4 A

Weight:

320 lb.

Dimensions (W x D x H):

43.7" x 30.3" x 40.9"

SDD Square Fold Booklet Maker⁸

Booklet Capacity:¹

Up to 25 Sheets

Booklet Input Size:

4.71" x 8.27" to 9.6" x 12.6"

Booklet Output Size:

4.71" x 7.87" to 9.6" x 12.6"

Paper Weight:

16 lb. Bond to 110 lb. Cover

Trim Amount:

0.08" to 1.38"

Power Supply:

120 V, 60 Hz, 15 A

Weight:

154 lb.

Dimensions (W x D x H):

44.9" x 23.6" x 44.9"

SDD Square Fold Booklet Maker with Two Knife Trim⁸

Booklet Capacity:¹

Up to 25 Sheets

Booklet Input Size:

4.88" x 5.51" to 9.6" x 12.6"

Booklet Output Size:

4.88" x 5.51" to 9.6" x 12.6"

Paper Weight:

16 lb. Bond to 110 lb. Cover

Trim Amount:

0.08" to 1.38"

Power Supply:

120 V, 60 Hz, 15 A

Weight:

573 lb.

Dimensions (W x D x H):

62.7" x 27.6" x 51.2"

Plockmatic BLM50/35 Professional Booklet Maker⁹

Booklet Size:¹

Up to 50 Sheets

Paper Size:

8.1" x 10.8" to 12.6" x 18"

Paper Weight

Uncoated:	16 lb. Bond to 110 lb. Cover (60 to 300 gsm)
Coated:	28 lb. Bond to 110 lb. Cover (105 to 300 gsm)

Trim Amount

Face: ¹²	0.04" to 1"
Top/Bottom: ¹³	0.196" to 1.18"

Paper Rotating:¹³

8.1" x 10.9" to 9.1" x 12.7"

Weight:

1,235.7 lb.

Dimensions (W x D x H):

131.1" x 33.8" x 42.5"

imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

PRINT SERVERS

PRISMAsync Print Server

System Software:	Version 7
CPU:	Intel Core i7 4770S @ 3.1 GHz
Memory:	16 GB
Hard Drive:	1.5 TB
OS:	Windows 10
Standard:	Scheduler, DocBox, G7 Calibration, Page Programmer, Remote Manager, PRISMAlytics Dashboard, Automated Workflows, Multiple Queues, Remote Control
Optional:	E-Shredding

imagePRESS Server B7000 V2

Fiery System:	FS400 Pro
CPU:	Dual Intel® Xeon® Gold 5118 Processor, 2.3 GHz with 3.2GHz Turbo
Memory:	32 GB
Hard Drive:	4.5 TB
OS:	Windows 10
Standard:	Impose, Compose, Command Workstation, Spot-On, Remote Scan, Hot Folders, Virtual Printers, Media Librarian, Graphic Arts Pro Package, ColorRight Package
Optional:	Job Master, JobFlow

imagePRESS Server B6000 V2

Fiery System:	FS400 Pro
CPU:	Intel® Core™ i7-4770S, 3.2 GHz up to 3.6 GHz w/Turbo
Memory:	16 GB
Hard Drive:	1 TB
OS:	Windows 10
Standard:	Command Workstation, Media Librarian, Spot On, Remote Scan, Hot Folders, Impose, Compose
Optional:	Graphic Arts Pro Package, ColorRight Package, Job Master, JobFlow

¹ Based on 20 lb. Bond.

² Optional feeding accessories required.

³ Based on letter, simplex impressions.

⁴ High Capacity Stacker-H1 and/or Staple Finisher-AN1/Booklet Finisher-AN2 required.

⁵ Multi-Function Professional Puncher-B1 required.

⁶ Staple Finisher-AN1 or Booklet Finisher-AN2 required.

⁷ Booklet Finisher-AN2 required.

⁸ Booklet Trimmer-F1 required.

⁹ High Capacity Stacker-H1 or DFD Adapter and Finisher Bridge-A1 required.

¹⁰ SDD Front Trimmer required.

¹¹ SDD Rotator required.

¹² FTR50 Trimmer Module required.

¹³ RCT50 Rotate Crease Trim Module required.



Canon, imagePRESS, and the GENUINE logo are registered trademarks of Canon Inc. in Canada and may also be registered trademarks or trademarks in other countries. PRISMA is a registered trademark of Canon Production Printing Netherlands B.V. All other referenced product names and marks are trademarks of their respective owners. Some output may be simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2020 Canon Canada Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.

